

iountain

Spring 2020 PRODUCT CATALOGUE

Call 01934 862710

www.fountaintimber.co.uk

- Fencing
- Gates
- Garden Buildings
- Decking
- Landscaping
- Garden Furniture

#### Index

Fencing	
Featheredge Fencing	4
Fence Panels	5
Decorative Fence Panels	6 - 7
Willow and Hazel	8
Picket Fencing	9
Trellis	10-11
Agricultural and Commercial Fencing	12-13
Fence Posts	14-17
PostMix and Cement	17
Sawn Timber	
Sawn Timber	14
Buy with Confidence	15
Posts for Fencing and Gates	
Fencing and Gate Posts	16
Bolt Down Support	17
Concrete Posts	17
PostMix, Cement	17
Gates	
Driveway Gates	18-19
Get The Best From Your Gates	20-21
Garden Style Gates	22
Country Style Gates	23
Garden Furniture and Structures	
Garden Furniture	24
	24
Garden Structures and Seating	25

Details are correct at time of going to press and may be subject to change and availability. Check our website for current prices www.fountaintimber.co.uk

27

Bespoke Manufacture

Garden and Landscaping	
Bollards	28
Sleepers	28
Raised Beds and Planters	29
Bird Tables, Bird Boxes	30
Hedgehog House	30
Play Grade Timber chips	30
Barks, Mulches and Compost	31

# Firewood and Biomass Firewood 32 Log Stores 32 Woodchip for Biomass Boilers 32


Sheds and Garden Buildings	
Standard Sheds	33
Garden Storage	33
Made to Measure Sheds	34-35
Bespoke Garden Buildings	36-37

Decking	
Timber Decking	38-39
Decking Components and Accessories	40-41
Composite Decking	42-43

The Founta	in Store	
Fixings		44
Decorative	& Protective Finishes	45
Gate Hinges	s, Fastenings and Fittings	46-47







## Enter our magical world of timber in the heart of the woods



**Extensive displays** 



**Amazing location** 



Quality products, expert advice, great service



Environmentally responsible - we try to minimise waste and use every part of the tree, even bark and sawdust



Collection or delivery

#### **Featheredge Fencing**



#### FEATHEREDGE BOARD - 125MM (5")

10 boards per linear metre including 25mm overlap. 0.90m x 125mm 10214 1.20m x 125mm 10115 1.35m x 125mm 10117 1.50m x 125mm 10118 1.65m x 125mm 10120 1.80m x 125mm 10122 2.10m x 125mm 10124 2.40m x 125mm 10157 3.00m x 125mm 10233 3.60m x 125mm 10125


#### **GRAVEL BOARD - 150 X 25MM**

1.80m 1.83m	10101 10301
2.10m	10102
2.40m	10103
3.00m	10105
3.60m	10106
4.80m	10107



#### **ARRIS RAIL & BRACKET**

Triangular rail which sits in the notches of fence posts and supports the featheredge boards. Brackets can be bought separately.



2.40m Ex 75mm	10050
3.00m Ex 75mm	10052
3.60m Ex 75mm	10053
Arris Rail Bracket	84242

#### **FENCE POSTS**

Weathered and notched for Arris Rail.



TWO NOTCHES – LOWER FENCE 1.80m 125x100 10038 THREE NOTCHES – HIGHER FENCE 2.10m 125x100 10039 2.40m 125x100 10163 2.70m 125x100 10041

#### **CAPPING**

Adds the finishing touch to fencing.



1.80m 50 x 25mm	10169
2.40m 50 x 25mm	10303
3.00m 50 x 25mm	10158

#### **CENTRE STUMP**

A centre support stump is fitted to the bottom rail of a long fence run to keep it stable.



0.60m 50 x 50mm **10216** 

#### **CHANNEL CAPPING**

The Featheredge fits into the channel so there is no need for a counter rail.





- Only nail one board to the rail, never nail through the overlap
- For fixings see page 44
- Small 38 x19mm backing batten is often used with capping. See page 14

#### **Fence Panels**



#### **FEATHEREDGE PANEL**



1.83 W x 0.90m H	31023
1.83 W x 1.20m H	31022
1.83 W x 1.50m H	31021
1.83 W x 1.83m H	31020

#### ECONOMY FEATHEREDGE GATE

1.80 H x 0.90m W **31030** 



#### **T&G PANEL**



1.83 W x 1.83m H	31041
1.83 W x 1.50m H	31042
1.83 W x 1.20m H	31043

#### **T&G GATE FLAP TOP**

21011
21012
21013
21014
21015
21016



#### **OVERLAP PANEL**



1.83 W X 0.60m H	31005
1.83 W x 0.90m H	31004
1.83 W x 1.20m H	31003
1.83 W x 1.50m H	31002
1.83 W x 1.83m H	31001

#### **OVERLAP GATE**

1.80 H x 0.90m W **31024** 



#### **OVERLAP PANEL**




Whether your priority is security, privacy, noise reduction or visual appeal, we have a great selection of fence panels to suit your needs, taste and budget.

# Good to know!

- All fence panels are made from pressure treated timber
- Concrete posts will prolong the life of your fence
- 1.83m gravel board is ideal for fence panels



#### **Decorative Fence Panels**



Our decorative panels combine contemporary styling and functionality. The rigid slats in the hit and miss style break the force of the wind easing pressure on your fence.

#### **WILTSHIRE PANEL**



1.80W x 1.60 x 1.80m H **31081** 

#### **SOMERSET PANEL**



1.80W x 1.60 x 1.80m H **31055** 

#### **DORSET PANEL**



1.80 W x 1.80m H 31016

#### **CHESHIRE PANEL**



1.80W x 1.80m H 31017



- Planed posts will enhance decorative panels.
- Don't forget posts, post caps & fixings
- For finials see page 16



#### **Decorative Fence Panels**

#### **The Hampshire Range**



#### **OMEGA PANEL**

1.80 W x 1.80m H 31029

#### **CONVEX PANEL**


1.80 W x 1.60-1.80m H 31028



#### **FLAT TOP PANEL**

1.80 W x 1.80m H

40319





96 x 96mm For 75mm Post **81009** 120 x 120mm For 100mm Post 81010

#### **METAL POST CAP**

84056 75mm 100mm 84058

#### **PANEL FIXING CLIPS**

U Clip 45mm 84413 Fence Clip 47mm 84461 Screw in Panel Clip 84462



#### Willow and Hazel



If you prefer natural screening, opt for attractive willow and hazel panels. They blend seamlessly into any garden and are excellent wind breaks which allow air to pass through to reduce some of the force.

#### **WILLOW HURDLE**



1.80W x 0.90m H **32002** 1.80W x 1.80m H **32001** 

#### HEAVY FRAMED WILLOW PANEL



1.80 W x 1.20m H **32008** 1.80 W x 1.50m H **32007** 1.80 W x 1.80m H **32006** 

#### **HAZEL HURDLE**



1.80 W x 0.90m H **32009** 1.80 W x 1.20m H **32004** 1.80 W x 1.80m H **32003** 

# Good to know!



- Treating willow and hazel with linseed oil diluted in turpentine or with other suitable wood preserver will help to considerably prolong their life span
- Hurdles can be cut to reduce height but it is better to overlap them to reduce width as they can become unwoven if cut

#### **Picket Fencing**

#### PLANED ROUND TOP PICKET PANELS



1.83 W x 0.90m H **33100** 1.83 W x 1.20m H **33102** 

#### **PLANED PICKET GATES**



#### **ROUND TOP**

0.90 H x 0.90m W **22002** 1.20 H x 0.90m W **22004** 



# 抓

#### **POINTED TOP**

0.90 H x 0.90m W **22001** 1.20 H x 0.90m W **22003** 

#### PLANED POINTED TOP PICKETS

0.90m 75 x 20mm	33110
1.20m 75 x 20mm	33111
1.50m 75 x 20mm	33112
1.80m 75 x 20mm	33113

#### PLANED ROUND TOP PICKETS

0.90m 75 x 20mm	33114
1.20m 75 x 20mm	33115
1.50m 75 x 20mm	33116
1.80m 75 x 20mm	33117

#### ROUND TOP POST PLANED ALL ROUND

Used to support picket fence, these posts have been planed and pressure treated.

1.50m 100 x 100mm 33034





Picket panels are designed to fit to the back of the post. If you intend to fix to the front you will need to order a single loose picket to fit over the join.



#### **Trellis**



Trellis is a great way to separate different areas of the garden, support trailing plants or add a soft screen to provide privacy while allowing plenty of light through. To ensure many years of service, all our trellis is made from pressure treated timber.

#### **NORSE CONVEX**

Diamond pattern 60mm mesh.



1.83 W x 0.60m H

30026

#### **NORSE CONCAVE**

Diamond pattern 60mm mesh.



1.83 W x 0.45m H 30027

#### **NORSE OMEGA TOP**

Diamond pattern 60mm mesh.



1.83 W x 0.45m H 30038

#### **NORSE CORNER**

Brilliant for adding that finishing touch to your pergola or garden structure.



0.45 W x 0.45m H **30044** 

#### **NORMAN CONVEX**



1.83 W x 0.60m H 30029

#### **NORMAN TRELLIS**

Style and added privacy with this 25mm mesh.



1.83 W x 0.30m H 1.83 W x 0.60m H 30048 1.83 W x 0.90m H 1.83 W x 1.20m H 30050 1.83 W x 1.50m H 30096 1.83 W x 1.83m H

#### **NORSE OMEGA TOP**

Diamond pattern 60mm mesh.



1.83 W x 1.83m H **30035** 

#### **NORSE TRELLIS**

Diamond pattern 60mm mesh.



 1.83 W x 0.30m H
 30023

 1.83 W x 0.45m H
 30077

 1.83 W x 0.60m H
 30022

 1.83 W x 0.90m H
 30021

 1.83 W x 1.20m H
 30024


 1.83 W x 1.50m H
 30095

 1.83 W x 1.83m H
 30025

#### **Trellis**


#### **LATIN DIAMOND TRELLIS**

Diamond pattern, mesh size 100mm. Square pattern, mesh size 110mm.



30089 1.83 W x 0.30m H 30088 1.83 W x 0.60m H 30090 1.83 W x 1.83m H


#### **LATIN SQUARE TRELLIS**



30080 1.83 W x 0.30m H 30081 1.83 W x 0.60m H 30082 1.83 W x 1.83m H

#### **ROMAN TRELLIS**


Square mesh 100mm.




30111 1.83 W x 0.30m H 30112 1.83 W x 0.60m H 1.83 W x 0.90m H 30113 1.83 W x 1.20m H 30114 30115 1.83 W x 1.50m H 30116 1.83 W x 1.83m H

#### **ANGLO TRELLIS**

Square mesh 50mm.



1.80 W x 0.30m H 40280 40275 1.80 W x 0.45m H 1.80 W x 0.60m H 40276 1.80 W x 0.90m H 40277 1.80 W x 1.20m H 40278 40279 1.80 W x 1.50m H 1.80 W x 1.80m H 40517



#### **FIXING CLIPS**




Trellis Clip 32mm 84463

#### **OSLO TRELLIS**



1.80 W x 1.00m H 30091 0.90 W x 1.80m H 30092 30093 1.20 W x 1.80m H 1.80 W x 1.80m H 30097

## **Agricultural** and Commercial Fencing



#### HALF ROUND STAKE

1.65m 100mm

1.03111 100111111	01043
ROUND POLES	
3.00m 150mm	61113
3.60m 75mm	61041
3.00m 100mm	61040
3.60m 100mm	61042
3.60m 125mm	61043
3.60m 150mm	61044

61045

#### **HALF ROUND RAILS**

2.40m 60mm 3.60m 87mm 2.40m 100mm 3.00m 100mm	61046 61049 61047 61048
	0_0.0
3.60m 100mm	61077



#### **PEELED ROUND STAKES**

ROUND STAKES 1.65m 50 - 75mm 1.80m 50 - 75mm 2.40m 50 - 75mm	61006 61008 61011
1.65m 75 - 100mm	61007
1.80m 75 - 100mm	61009
2.40m 75 - 100mm	61012
3.00m 75 - 100mm	61014
1.65m 100 - 125mm	61050
1.80m 100 - 125mm	61052
2.40m 100 - 125mm	61057
1.80m 125 - 150mm	61024
2.10m 125 - 150mm	61025
2.40m 125 - 150mm	61059
3.00m 125 - 150 mm	61063
2.10m 150 - 175mm	61026
2.40m 150 - 200mm	61060
2.10m 175 - 200mm	61027
3.60m 175 - 200mm	61065
3.60m 125 - 150mm	61073

#### **MACHINE ROUND STAKES**

1.20m 50mm	61118
1.65m 40mm	61109
1.65m 50mm	61079
1.65m 75mm	61124
1.65m 100mm	61076
1.80m 50mm	61117
1.80m 75mm	61121
1.80m 100mm	61071
2.40m 60mm	61036
2.40m 100mm	61037
2 40m 50mm	61120

#### **ROUND POSTS**

2.10m 150mm	61106
2.40m 150mm	61038
2.44m 100mm	61037

#### HALF ROUND RAILS (AVE FACE) 3.60m 87 - 100mm 61031

## HALF ROUND STAKES (AVE FACE) 1.80m 100 - 125mm 61020 1.67m 100 - 125mm 61017

#### HALF ROUND POST (AVE FACE)

1.80m 125 - 150mm **61028** 



- All small round logs purchased by Fountain Timber to manufacture Round Fencing on site have full FSC® certified chain of custody
- We seek independent certification whenever possible. For more details or to view our certificates, visit www.fountaintimber. co.uk





## Agricultural and Commercial Fencing

Photo supplied by

ee Garden Contractors L



#### **EAZY WIRE - 25KG**

Plain wire, layer wound on strong wooden spools.

 2.50mm H/T 600m
 80010

 3.15mm H/T 400m
 80011

 2.50mm M/S 600m
 80012

 3.15mm M/S 400m
 80013



#### **RABBIT/CHICKEN WIRE**

1.00 H x 50m L 80014



#### **BARBED WIRE**

Medium - 200m **80007** High Tensile - 200m **80009** 





#### **LIGHT STOCK FENCE**

Light Stock Fence 80005 Medium Stock Fence 80004



#### **BIRDMOUTH FENCING**

 0.90m 100 x 100mm
 10292

 1.20m 100 x 100mm
 10293

 1.50m 100 x 100mm
 10294

 Trip Rail Strap
 84063



No fence is too big or too small...
...as fencing choices grow





Ask for details and prices for metal fencing

#### **Sawn Timber**

38MM X 19MM (1 1/2" )	
1.80m	10128
3.60m	10129
50MM X 25MM (2" X 1"	)
1.80m	10082
3.00m	10084
3.60m	10085
50MM X 50MM (2" X 2"	)
1.80m	10074
2.10m	10075
2.40m	10076
3.00m	10077
3.60m	10078
75MM X 25MM (3" X 1"	)
1.80m	10079
2.40m	10080
3.00m	10178
3.60m	10081
75MM X 38MM (3" X 1 1	L/2")
1.80m	10183
2.10m	10155
2.40m	10184
3.00m	10179
3.60m	10154
75MM X 50MM (3" X 2"	)
1.80m	10066
2.10m	10067
2.40m	10068
3.00m	10070
3.60m	10071
75MM X 75MM (3" X 3"	)
1.20m	10197
1.50m	10001
1.80m	10002
2.10m	10003
2.40m	10004
3.00m	10006
3.60m	10007

87MM X 38MM (3 1/2" X 1/2")	1
1.80m	10213
2.10m	10198
2.40m	10045
3.00m	10047
3.60m	10048
4.80m	10230
100MM X 19MM (4" X 3/4	4")
1.80m	10217
100MM X 25MM (4" X 1")	)
1.80m	10088
2.10m	10089
2.40m 3.00m	10090 10091
3.60m	10091
3.00111	10032
100MM X 38MM (4" X 1 1	
3.60m	10049
100MM X 50MM (4" X 2"	)
1.80m	10056
2.10m	10057
2.40m	10058
3.00m 3.60m	10060 10061
4.80m	10061
6.00m	10063
(Please note 6.00m supplie	ed as
Èx 6.0 x 100 x 50mm plane	d C24)
100MM X 75MM (4" X 3"	)
1.80m	
	10043
2.40m	10043 10044
2.40m 100MM X 100MM (4" X 4	10044
	10044
<b>100MM X 100MM (4" X 4</b> 1.50m 1.80m	10044 ") 10008 10009
100MM X 100MM (4" X 4 1.50m 1.80m 2.10m	10044 ") 10008 10009 10010
100MM X 100MM (4" X 4 1.50m 1.80m 2.10m 2.40m	10044 ") 10008 10009 10010 10011
100MM X 100MM (4" X 4 1.50m 1.80m 2.10m	10044 ") 10008 10009 10010

125MM X 100MM (5" )	/ A"\
2.40m	10040
3.00m	10040
5.00111	10042
125MM X 125MM (5" )	( 5")
3.60m	10020
150MM X 25MM (6" X	1")
1.80m	10101
1.83m	10301
2.10m	10102
2.40m	10103
3.00m	10105
3.60m	10106
4.80m	10107
150MM X 38MM (6" X	1 1/2")
2.40m	10108
3.00m	10180
3.60m	10109
150MM X 50MM (6" X	2")
2.40m	10110
3.00m	10111
3.60m	10112
4.80m	10113
6.00m	10114
(Please note 6.00m supp Ex 6.0 x 150 x 50mm pla	olied as ned C24)
150MM X 150MM (6" )	( 6") 10025
3.00111	10025



<b>175MM X 175MM (7" X</b> 3.60m	( 7") 10240
200MM X 50MM (8" X	2")
3.60m	10244
6.00m	10153
(Please note 6.00m supp Ex 6.0 x 200 x 50mm pla	olied as ned C24)
200MM X 200MM (8" X	( 8")
3.60m	10239
225MM X 100MM (9" X	( 4")
4.80m	10150
6.00m	10151
(Please note 6.00m sawr supplied to special order	
250MM X 50MM (10" X	( 2")
3.60m	10190
4.80m	10152



All logs purchased by **Fountain Timber** to produce square sawn timber within



our own sawmill on site have full FSC® certified chain of custody

• 75 x 75mm and 100 x 100mm timber are regularly used for fence posts.

#### **Buy with Confidence**

#### WE STAND BY OUR TIMBER TREATMENT...

We use quality high pressure treatment Wolmanit® CX to treat all our ground contact materials – posts, gravel boards, sleepers, bollards etc to User Class 4 (UC4) – as specified by manufacturer BASF Wolman®. Since the introduction of Wolmanit® CX in 2013 we are confident our pressure treated products will have 10+ year service life protected against any failure caused by fungal or insect attack.

#### FREE REPLACEMENT UNDERTAKING

Any UC4 product supplied by Fountain Timber Products Ltd which fails during this 10 year period will be replaced FREE OF CHARGE subject to following conditions:

- The timber must be used for the supplied purpose and not placed in any abnormal conditions not highlighted to Fountain Timber Products Ltd at the time of purchase or alternatively removed from their original position and re-used in differing conditions.
- If the product is cut, notched or drilled it is essential the cut ends are liberally treated with quality wood end grain preservative.
- Fence post must not be pointed after treatment.

- The shortening of ground contact products ie. posts, gravel boards, bollards, sleepers etc. should be avoided wherever possible. Under no circumstances should a cut end be placed in the ground, without return for pressure treatment.
- If setting posts in concrete, suitable drainage/run off must be applied, allowing water to flow freely away from post.
- We will require the return of samples (ie whole post, bollard, sleeper...) for any failed product to identify the cause of failure and to test the quality and penetration of the treatment.
- Proof of purchase must be supplied with any claim this can be by way of receipt, invoice number or delivery note number for the products in question.

#### **PLEASE NOTE:**

Excessive damage during installation (ie. splitting of pointed stakes or equalising / planing without returning for re-treatment) as well as damage caused by regular wear, for example regular strimming around the post, will void protection and warranty and such products will not be subject to free replacement.

This undertaking will cover the cost of replacement of the product as supplied by Fountain Timber Products Ltd. Any other consequential costs incurred in replacing the products are excluded.



## Posts for Fencing and Gates



Our posts are pressure treated to UC4 - to protect them against rot and insect attack and offer 10+ year service life.

#### SHAPE A STANDARD SQUARE POST

Any post can be finished in the desired shape as an optional extra.



BISHOP ARCH CROWN

#### **DECORATIVE FINIALS**

75mm Bishop	81005
75mm Ball .	81002
100mm Ball	81006
100mm Acorn	81007

#### **FLAT POST CAP**

96 x 96mm For 75mm **81009** 



## FENCING POSTS WEATHERED 4 WAYS



150MM X 150MM (6" X 6") 2.10m 10021 2.40m 10022 2.70m 10023 3.00m 10024

175MM X 175MM (7" X 7") 2.10m 10026 2.40m 10027 2.70m 10028 3.00m 10029

 200MM X 200MM (8" X 8")

 2.10m
 10030

 2.40m
 10031

 2.70m
 10032

 3.00m
 10033

#### **WEATHERED 1 WAY**

125MM X 75MM (5" X 3") 1.80m 10034 2.10m 10035

**150MM X 75MM (6" X 3")** 1.80m **10036** 2.10m **10037** 

FSC purchased by Fountain Timber to produce square sawn timber within our own sawmill on site have full FSC® certified

chain of custody

#### **POINTED PEGS AND POSTS**

**32MM X 32MM (1 1/4" X 1 1/4")**1.20m
1.50m
1.80m
10132

**50MM X 50MM (2" X 2")** 0.45m

 0.45m
 10134

 0.60m
 10135

**WANEY EDGE BOARD** 

3.60m **10267** 

#### **FINISHED TIMBER**



#### PLANED POSTS

Supplied to match our quality planed panels.

70MM X 70MM (EX 3" x 3")

 1.80m
 10400

 2.10m
 10401

 2.40m
 10402

90MM X 90MM (ex 4" x 4")

 1.80m 90 x 90mm
 10403

 2.10m 90 x 90mm
 10404

 2.40m 90 x 90mm
 10405

#### PLANED RAILS & BOARDS

**50MM X 50MM (2" X 2")** 1.80m 2.40m **10408** 

75MM X 25MM (3" X 1")

1.80m **10410** 2.40m **10411** 

150MM X 25MM (6" X 1")

1.80m **10412** 2.40m **10413** 

#### **BOLT DOWN SUPPORT**



FLUSH BOLT DOWN	
75 x 75mm	84465
100 x 100mm	84466
DRIVE-IN SPIKE	
50 x 50 x 450mm	84407
75 x 75 x 600mm	84408
100 x 100 x 750mm	84409
BOLT DOWN SUPPORT	
50 x 50mm	84404
75 x 75mm	84405
100 x 100mm	84406

REPAIR SPUR	
75 x 75mm	84411
100 x 100mm	84401
DRIVE IN TOOLS	

84414

84415

#### 75mm **84412** 100mm **84417**

#### **MASONRY BOLTS**

CONCRETE-IN SUPPORT 75 x 75mm

100 x 100mm

M8 x 75mm	87051
M8 x 100mm	87052
M8 x 150mm	87053
M10 x 100mm	87054
M10 x 150mm	87058



#### **POST MIX**



High performance concrete that sets in under 10 minutes. **Quantity discounts available.** 

Remix - Post Mix Concrete 20Kg

80019

#### **25KG CEMENT**



Remix - Cement 25Kg 82000



 It is recommended to use at least 1 bag of PostMix for each post up to 1.2m above the ground and at least 1.5 bags for posts higher than 1.2m

## CONCRETE GRAVEL BOARD

**Posts for Fencing** 

1.83 x 0.15m	11114
1.83 x 0.30m	81068

#### **CONCRETE H-POST**

#### **CONCRETE POST SUPPORT**

0.90m 100 x 100mm	11117
1.20m 100 x 100mm	11118
0.90m 75 x 75mm	11119



#### **Driveway Gates**



Natural in appearance but also strong, durable and functional, our gates are hand made in in our on-site work shop. All can be made to measure from pressure treated softwood or Sapele hardwood.



- 70 x 100mm frame provides optimum strength and durability
- 19 x 110mm T&G boards
- 50 x 70 mm A frame bracing



LEAF SIZE				
HEIGHT X WIDTH	ARBROATH	BANFF	DUMFRIES	PERTH
0.90 H x 0.90m W Leaf	24301	23001	23013	23025
0.90 H x 1.20m W Leaf	24304	23004	23016	23028
1.20 H x 1.20m W Leaf	24305	23005	23017	23029
1.20 H x 1.50m W Leaf	24308	23008	23020	23032
1.50 H x 1.50m W Leaf	24309	23009	23021	23036
0.90 H x 1.80m W Leaf	24310	23010	23022	23034
1.50 H x 1.80m W Leaf	24312	23012	23024	23033
1.80 H x 1.80m W Leaf	24314	24201	24203	24202



#### **Driveway Gates**



#### **STIRLING**

LEAF SIZE				
HEIGHT X WIDTH	<b>EDINBURGH</b>	STIRLING	INVERNESS	ABERDEEN
1.50 H x 1.50m W Leaf	23040	23055	23070	23085
1.80 H x 1.20m W Leaf	23038	23053	23068	23083
1.80 H x 1.50m W Leaf	23041	23056	23071	23086
1.80 H x 1.80m W Leaf	23043	23058	23073	23088



SAPELE has a lovely finish and remains stable throughout its lifetime. We supply Sapele gates sanded, ready for oiling or finishing on site.

at any property.

Standard posts can be clad to match your hardwood gates.




# Good to know!

- All designs can be made in softwood or Sapele hardwood to suit your requirements
- Any gate can be made to measure
- Pedestrian gates available to match



## Get the best from your gates



## Work out the size you need for **DRIVEWAY GATES**

Easy to use width calculator for installation between the posts.



Overall gap ...... mm

Minus Post width (x2) ..... mm

Minus hinge gap 30mm...... mm (10mm for each hinge plus 10mm central gap)

Divided by 2 for each leaf measurement

= ..... mm

When you have confirmed the accurate width of each gate leaf, simply decide on the height you want.

Height ...... mm X Width ..... mm

This formula is for hanging gates between the posts.

For other installation and methods, please see ADVICE PAGES on our website or call our sales office for assistance.

For the comprehensive range of quality hardware, hinges and fixings see page 46.

## Good to know!

- Any gate can be made to measure
- Pedestrian gates available to match
- For Decorative & Protective Finishes see page 45





#### **Garden Style Gates**



#### **TONGUE & GROOVED GATE**


Robust 'A' frame on both Flat top and Round top T&G gates.

ROUND TOP	FLAT TOP
21055	21011
21056	21012
21058	21014
21060	21016
21062	21018
	21055 21056 21058 21060





#### **PALISADE GATE**



	KOUND TOP	FLAI TOP
1.50 H x 0.90m W	21073	21029
1.80 H x 0.90m W	21078	21034
1.80 H x 1.20m W	21080	21036
2.10 H x 0.90m W	21084	21040

#### **FEATHEREDGE GATE**

A very sturdy featheredge gate to match featheredge fencing.

) H x 0.90m W 22	017
) H x 1.20m W 22	018
) H x 0.90m W 22	021
) H x 1.20m W 22	022
) H x 0.90m W 22	025
) H x 1.20m W 22	026



#### **GARDEN GATES**

These garden gates match our range of entrance and driveway gates.





1.05m x 0.90m **23115** 1.05m x 0.90m **23117** 



1.05m x 0.90m **23118** 



All designs can be made in Sapele hardwood.

#### **STABLE DOOR**

125mm Tongue & Groove treated softwood with 90mm x 33mm frame construction. Top and bottom sold separately.

0.90 H x 1.20m W 20407 1.20 H x 1.20m W 20408



#### **ENTRANCE GATE**



Popular Entrance Gate with a hockey stick shaped hanging end post is hand made from pressure treated softwood in a traditional country style.

LH

0.90m	20100	20101	
1.20m	20102	20103	
1.50m	20104	20105	
1.80m	20106	20107	
2.40m	20110	20111	
3.00m	20114	20115	
3.60m	20118	20119	
4.20m	20124	20125	

RH

#### **FOUNTAIN UNIVERSAL GATE**





The Universal Gate can be hung both left or right handed. Using 100 mm end post and dome topped bolts the gate looks good and fits in any position.

0.90m 1.20m 1.50m 1.80m 2.40m 3.00m 3.60m	20200 20201 20202 20203 20204 20205 20206

#### **ENTRANCE GATE IN SAPELE HARWOOD**



0.90m 1.20m 1.50m 1.80m 2.40m 3.00m	RH 20126 20128 20130 20132 20136 20140	LH 20127 20129 20131 20133 20137 20141

All designs can also be made from Sapele hardwoods to display quality LH - Hinge fixed on left when viewed from front. and distinction.

RH - Hinge fixed on right when viewed from front


#### **Country Style Gates**



#### **COUNTRY STYLE GATE SPECIFICATIONS**

Head rail of 75mm x 70mm

Standard country style Entrance Gates are 1.5m and Universal Gates are 1.2m high.



# GODA to know!

- Country Style gates are popular for both residential and commercial properties
- Any gate can be made to measure
- Pedestrian gates available to match



#### **Garden Furniture** and Structures



#### SIX-SEATER ROUND PICNIC TABLE

750 H x 1600 W x 1600mm D

70025

Six-Seater Round Picnic Table is a great choice for domestic and commercial properties alike. For easy access the seating is approached from the side. Table top diameter is 1100mm.



#### **COMMERCIAL SQUARE TABLE**

2.14 L x 2.14 W x 0.75m H

78030

#### **ROUND PICNIC TABLE**

Suitable for domestic and commercial use.

2.40 L x 2.40 W x 0.75 H

70027



#### THE MELROSE DINING SET

1.80 L x 0.82 W x 0.79m H

70000

#### **COMPANION SEAT**

1.93 L x 0.775 D x 1.020m H

78080



#### **COMPANION GARDEN SET**



Round table and 4 chairs.

1.32 W x 0.77m H

78032

**COMPANION CHAIR** 

0.76 L x 0.775 D x 1.020m H

78031

#### **COMMERCIAL PICNIC TABLE**



1.80 L x 1.62 W x 0.79m H

78084

#### **MENDIP OAK BENCH**

Supplied with longer legs for installation into a concrete base.



1.80 L x 0.50 H x 0.22m D

70042

# **COMPANION BENCH**

Two seater garden bench 1.35 L x 0.775 D x 1.020m H **78021** 

#### MALVERN BENCH



1.82 L x 0.62 D x 0.965m H 78025

#### **CORNER SEAT**



1.54 W X 2.05 H X 1.09m D 71004 Total width including pergola 2.21m

#### **COTSWOLD SWING SET**



1.80 W x 0.74 D x 2.40m H **71012** Planters not included

#### **LINTON ARBOUR**



1.19 W x 0.59 D x 2.08m H 71005

**Garden Furniture** 

and Structures

#### **HEREFORDSHIRE ARBOUR**

Herefordshire Arbour has a wide seating area with covered pitched roof and diamond trellis detail.

1900 H x 1800 W x 1020mm D 78009

#### YORK ARBOUR



1.80 W x 2.07 H x 0.85m D 78007

# Good to know!

 At Fountain you will find a fantastic selection of garden furniture. Supplied flat packed for easy assembling.

#### **Garden Structures**



Purley Shelter is designed with a vented roof allowing excess fumes to escape making it ideal for barbecues.

2300 H x 2300 W x 1300mm D 78005

Use garden structures to create an elegant entrance, add an interesting focal point, intimate seating or simply frame the view.





**SEVERN ARCH** 

1.50 W x 2.44 H x 0.74m D **71010** 

#### **ROUND TOP ARCH**



1.0 W X 2.40 H X 0.40m H **71009** 



PERGOLA

3.60 L x 2.40 W x 2.40m H **71003** 



**ROSE ARCH** 

1.50 W x 0.75 D x 2.30m H 71007

#### **AVON ARCH**



1.50W x 0.74 D x 2.40m H 71000



RUSTIC ROSE ARCH

1.10 W x 0.40 D x 2.10m H **71008** 

#### **Bespoke Manufacture**

#### **BESPOKE SHELTER**





#### **BESPOKE MANUFACTURE**

Bespoke pergolas and porches available to order. Simply bring us your plan for a quote.

Whatever your joinery needs, we will be happy to discuss

> - TALK TO OUR **SPECIALIST ADVISOR**





**CALL 01934 862710 FOR A QUOTE** 

**BESPOKE PERGOLA** 


• Please see pages 42-45

#### Garden and Landscaping



Bollards, log walls and sleepers make very attractive and functional borders. Use your imagination to create your own unique design and add definition and structure to your garden.

#### **SLEEPERS**



#### **GREEN OAK**

**SOFTWOOD** 1.8m 220 x 130mm 10337 2.4m 200 x 100mm 10137 2.6m 220 x 130mm 10336 2.4m 250 x 125mm 10138

**ROUNDED SLEEPER** 

1.8m x 100mm 61100

#### **ROUND BOLLARDS**



64001 0.30m 100mm 0.45m 100mm 64011 0.60m 100mm 64002 0.90m 100mm 64003 1.20m 100mm 64004

#### **LOG ROLL**



1.80 L x 300mm 73001 73002 1.80 L x 225mm 1.80 L x 150mm 73003

#### **LOG WALL SYSTEM**

0.825m 90mm 61099 1.65m 90mm 61098





## and Landscaping

# Garden

#### **COMPOSTING BIN**



0.70 L x 0.70 W x 0.74m 77102 1.00 L x 1.00 W x 0.74m 77103

Raised beds and planters are perfect



1.80 L x 1.20 W x 0.30m H **77111** 2.40 L x 1.80 W x 0.30m H 77109

#### TREE TIE



A 60cm tree tie made from soft material to protect while securing your young saplings.

0.60m

84118

#### **POTTING BENCH**



0.80 W x 0.80 H x 0.40 D **77101** 

#### **SQUARE PLANTERS**

0.40 W x 0.40 D x 0.34m H 72018 0.50 W x 0.50 D x 0.39m H 72019

RAISED VEGETABLE PLANTER

760 H x 1200 W x 600mm D **72020** 



#### **RECTANGULAR PLANTERS**

0.70 L x 0.40 W x 0.35m H 72002 0.80 L x 0.50 W x 0.35m H 72003



0.47 W x 0.39 D x 0.245m H 72004 0.59 W x 0.52 D x 0.305m H 72005



#### **HEXAGONAL PLANTERS**





#### **RAISED BEDS**

for growing both vegetables and flowers.



#### **UTILITY TABLE**



1.00 W x 0.46 D x 1.20m H 77105



520 H x 1700 W x 1700mm D 72021

#### **Bird Care and Wildlife**

Help protect the environment and create eco-friendly garden which provides natural habitats for a variety of garden wildlife birds, hedgehogs, bees and butterflies.



#### **HEDGEHOG HOUSE**

Hedgehog House

86399

#### **BIRD BOXES**

Put one or more of these in your garden and you will be playing an active part in reversing the sad decline of smaller garden birds.



Robin Box



84460 84459 Blue Tit Box

#### **ASCOT BIRD TABLE**

81202





#### **BIRD FOOD AND FEEDERS**

For a full range visit the Fountain Store.





Rustic With a Ladder Rustic Without a Ladder **Rustic Flat Table** Bird Wall Feeder



#### **SAFE PLAY AREAS**

Play grade timber chips are natural, environmentally friendly alternative to rubber type playground surfaces.

Chipped and dried in our on-site woodchip drier our hard-wearing timber chip is free from hazardous substances or harmful chemicals and will not be easily displaced by either the elements or 'wear and tear'.

Our Play Grade Timber Chips complies to BS/ EN1176 and 1177 when installed to a depth of 150mm giving a critical fall height of 3.0 metres. Also available in mini dumpy bags or loose.

#### **PLAY GRADE TIMBER CHIPS**



The weight/volume of the pre-packed plastic bags is calculated to one sixteenth of a cubic meter. The contents will cover an area approximately 1.2m<sup>2</sup> (1.3yd<sup>2</sup>) to a depth of 50mm (2").

Large Bag

#### **ORNAMENTAL BARK**



An ornamental bark chip with an average size of 40mm. This blend of pine and spruce will last longer than other mulches as it will not break down as quickly.

Large Bag

50005

#### SYLVA GROW GROWING MEDIUM



Superb quality, 100% peat-free compost suitable for a wide range of garden applications. A unique blend of fine bark, wood fibre and coir containing balanced nutrients sufficient for the first 4 – 6 weeks of growth.

Large Bag 50018

#### **PINE MINI CHIPS**



A neat, small chip pine bark suitable for a wide range of mulching applications, particularly on smaller beds and borders or tubs, pots, window boxes and roof gardens. Minimum installation depth 25mm/ 1 inch.

Large Bag 50017

#### MULTI-PURPOSE COMPOST



A blend of organic material with balanced plant nutrients, this quality compost will optimise plant growth.

Large Bag

50009

### BEST BARK NUGGETS



The very best pine bark available. These reddish brown chunks will provide the ultimate finish to any landscaping project.

Large Bag

50016

#### **BRACKEN DOWN**



Harvested high in the Mendip Hills, the shredded bracken is mixed with bark and farmyard manure and thoroughly composted to produce a multi-purpose soil conditioner enriched with trace elements.

Large Bag

50007

## Organic Barks, Mulches and Compost



Add colour and depth to your garden landscape project with our environmentally friendly barks and mulches. Great for suppressing weeds while improving soil and retaining moisture.

#### COMPOSTED BARK



High in humus, this is both a mulch and an excellent soil conditioner which will help break down clay-based soils. Around pH neutral, it can also be mixed with potting composts, improving both water retention and aeration.

#### **WOODLAND MULCH**



This is one of the most economically effective mulches on the market. A composted mix of shredded branches and twigs that acts as a mulch to suppress weeds and improve the soil.


Large Bag

50002

Large Bag

50001

## Firewood & Biomass (Woodchip)



#### TRIANGLE LOG STORE

1.79H x 1.52W x 0.68D 43108



#### **ENCLOSED LOG STORE**

1.24H x 1.26W x 0.615D **43106** 1.54H x 1.85W x 0.775D **43107** 



#### **SOFTWOOD LOGS**



Cut to size, ready to burn softwood logs. Seasoned below 20% moisture content and suitable for both open fires and wood burning stoves.

61111D

Mini Dumpy Bag (0.14 Cubic M)

#### **HARDWOOD LOGS**



Hardwood logs, cut to size for use in wood burning stoves or open fires. Supplied seasoned (below 20% moisture content) ready to burn.

Mini Dumpy Bag (0.14 Cubic M) 61114D

#### **KILN-DRIED SOFTWOOD**



Kiln-dried softwood pieces ready for burning. Ideal for both open fires and wood burning stoves.

85529

Mini Dumpy Bag (0.14 Cubic M)

#### **SAWMILL SOFTWOOD**



Mixed Softwood off cuts supplied air dried but may require further seasoning. (Piece size may vary).

Mini Dumpy Bag (0.14 Cubic M) 10263D



Firewood - Virgin naturally seasoned Chip - Virgin naturally seasoned Chip - Virgin force dried

#### **KINDLING**



Megapack 85530



#### WOODCHIP

Chipped and dried in our on site eco compact woodchip dryer, this quality wood chip is suitable for use in biomass boilers. Prices on application.

## **Standard Sheds and Garden Storage**

#### Quick order standard sheds...

Manufactured off the site and sold with no alternative specifications.



43103







#### **APEX**

1.20 W x 1.80m L 1.80 W x 2.40m L 2.40 W x 3.00m L 43101 43102



CAMBRIDGE DOUBLE BIN STORE

1.33 H x 1.55 W x 0.83m D 43110

#### **SECURITY SHED**

Security Shed is designed to keep your garden items protected from "unwanted guests".

It features continuous hinge over the full length of the door, a high quality 6 pin barrel throw lock mechanism (supplied with 5 spare keys) and a narrow Perspex window to provide maximum security.

2.1H x 1.83 W x 2.43mD **43111** 



#### **STORAGE SHED**

1.20 W x 0.80m D 43104



1.54 H x 1.85 W x 0.78m D 43109

**NEW** 

#### **Made to Measure Sheds**



Standard apex or pent sheds tailor made to suit your plot, intended use and personal preferences.

#### Simply:


- Choose the shape, length, width and height of your building
- Choose the finishes you require
- Add any extra features
- Talk to us about price and delivery




Choose size, position and style of doors. Add extra features if required



In short, get the shed you want...



- T&G roof and floor ex 16x125mm
- Heavy duty felt roof
- Shiplap cladding





**Double doors** 





## Made to Measure Sheds

#### **CHOOSE IRONMONGERY**







#### **CHOOSE SIZE, POSITION AND STYLE OF WINDOWS**







Standard window

Opening windows

#### **ADD EXTRA FEATURES**







Internal shelving

Integral cold External shelving frame

#### **CHOOSE CLADDING**



Shiplap





Loglap

Yorkshire Boarding

#### **CHOOSE ROOFING**





Felt Tile



Onduvilla Tiles



Cedar Shingles











#### **Bespoke Garden Buildings**



Ideal as an office, summer house, playhouse, music room, gym ... the options are endless.



Fountain Timber bespoke garden building at the expo stand of Stonebarn Landscapes at the 2019 Chelsea Flower Show. Even the smallest building will provide a useful extension to your living space and add value to your property.



Outdoor dining & entertaining space.



Investing in a garden office is a practical and cost effective solution to working

Bar and social area with hot tub.



#### STANDARD SPECIFICATIONS

- Solid frame (ex 50mm x 75mm) made using CLS graded timber
- Choice of style, size and cladding
- T&G roof and floor (ex 16 x 125mm)
- Heavy duty green felt roof
- Double glazed doors and windows




THERMOWOOD and RED CEDAR for our prestige range of garden buildings and studios.

Ask for details.

#### Create your perfect building - verandas, stores, space for hot tub... it is all possible



Position and size of windows and doors to suit your requirements



Functional outside and inside




Barbecue area

## Options available to you...





All doors and windows can be timber or supplied as pvcU, in a wide range of colours both externally and internally.






Options available to insulate roof and floor.

MADE TO
MEASURE
SIZES ARE OUR
SPECIALITY


All buildings are supplied lined with moisture inhibiting membrane inside, if internally clad optional insulation is also available.



Optional internal cladding.







## **Timber Decking**



A well designed deck will create a perfect outdoor space for eating, entertaining or spending time with family and friends as well as add value to your home.





This decking product is DeckMark accredited.

www.tdca.org.uk/ deckmark-and-cladmark

Not all boards will be available from stock at all times. Please check current size availability prior to ordering.



#### SCANDINAVIAN DECKING

Manufactured from Scandinavian redwood, with castellated profile on one side and smooth on the other, the boards are fully reversible and come with a **15 year TREAT RIGHT** performance warranty.

60001	3.00m 120 x 28mm
60000	3.60m 120 x 28mm
60037	4.20m 120 x 28mm
60040	4.80m 120 x 28mm
60059	5.40m 120 x 28mm





# Good to know!

- If you use the smooth side of decking, always apply anti-slip coating
- We have a full range of decking products to help you create stunning space to complement your house and garden

## **Timber Decking**

#### **IRO - HEAT ENHANCED COLOURED DECKING**

Exciting new range of decking boards crafted using an intricate sevenstep process that combines an eye for detail with the latest timber technology.

60061 4.80m 145 x 28mm





The TREAT RIGHT performance warranty covers the failure of these timbers from wood decay and insect attack giving you total confidence in their long term performance. (T&Cs apply)





#### **BRUSHWOOD DECKING BOARD**

Unique and attractive decking inspired by ancient Japanese art of wood preservation.

Wire brushed face to enhance the grain effect, charred surface to accentuate the colour and strengthen the board followed by pressure treatment to create beautiful and long lasting deck.



3.60m 145 x 38mm

60060



#### **ANTI-SLIP DECK BOARD**

Innovative Gripsure anti slip technology combines natural timber decking with two hardened aggregate non slip infills to deliver peace of mind and ensure safe use of the deck all year round. Works even through snow and ice.

15 year TREAT **RIGHT** warranty and 5 year warranty on anti-slip resin.



60088

## **Decking Components**



#### **SPINDLES**

#### **AMERICAN SPINDLE**



0.90m 27 x 27mm **60022** 

#### **SQUARE SPINDLE**



0.90m 32 x 32mm 60020 0.90m 41 x 41mm 60021 60058 1.10m 41 x 41mm

#### **CHAMFERED SPINDLE**



0.90m 32 x 32mm 0.90m 41 x 41mm

#### **COLONIAL SPINDLE**

0.90m 41 x 41mm 60023



#### **RAILS**

**DRAIL** 2 CORNERS ROUNDED



3.60m 90 x 45mm

**AMERICAN RAIL** 



**60086** 1.80m 27 x 120mm **60027** 1.80m 66 x 32mm

#### **BALUSTRADING** RAIL



**UNIVERSAL** HAND/BASE RAIL

60034

60036



2.40m 70 x 47mm

#### 1.80m 70 x 47mm 60035 60047

#### **NEWEL POSTS**

#### **COLONIAL NEWEL**



1.20m 82 x 82mm

### **PATRICE NEWEL**



60025


1.20m 82 x 82mm 1.50m 82 x 82mm

60038 60079

#### CHAMFERED NEWEL



1.20m 82 x 82mm 60025



#### If your deck is above 600mm high different regulations will apply and we recommend you seek professional advice

to know!

- Universal rail is not compatible with 32x32mm spindles
- To ensure long service life, timber that is not treated to UC4 (joists, rails, spindles...) should not be in the direct ground contact

#### **CUT STEP STRINGS**



3 STRINGS 0.90m 245 x 45mm

60028

5 STRINGS 1.457m 245 x 45mm **60029** 

#### **DECK SCREWS**





63 x 4.9mm - Box 200 63 x 4.9mm - Box 500 75 x 4.9mm - Box 400 80040 80041 84597



90 x 8mm - Box 100 190 x 8mm - Box 100 80043 80048

#### **DECORATIVE MANILLA ROPE**



Manilla Rope 28mm Per M
Rope End Brass Pk 2
Rope End Chrome Pk 2
Hook & Eye on Plate Chrome
Hook & Eye on Plate Brass

8233

#### **ANTI-SLIP PLATES**

0.64m x 63mm 0.64m x 115mm

80140 84099



#### **SUBFRAME**

#### **POSTS**

Planed with eased edges. Treated to UC4.



1.80m 90 x 90mm 2.10m 90 x 90mm 2.40m 90 x 90mm 3.00m 90 x 90mm 10405

#### **DECK JOISTS - C16**

Structurally graded timber, treated to UC3.


#### 100x50MM

2.40m 100 x 50mm 60016 3.00m 100 x 50mm 60017 3.60m 100 x 50mm 60018 4.80m 100 x 50mm 60083



2.40m 150 x 50mm 3.00m 150 x 50mm 60013 3.60m 150 x 50mm 4.80m 150 x 50mm 60045






#### SUPPRESSANT MEMBRANE

Take the time to cover the ground under your new deck to reduce any problems with weeds growing in the future.

1.00 L x 2.00 W

80015

#### **JOIST HANGERS**



 Joist Hanger 47mm
 88455

 Mini 46mm
 88457

 Light U-Prong
 88456




## BALUSTRADE RAIL SUPPORT BRACKETS

Balustrade Rail Support Brackets

60039

## Millboard Decking





#### WEATHERED OAK

Moulded from reclaimed 100 year old oak timber to achieve a distinctive, weathered look.



**Embered** 



Driftwood

Matching fascia boards and edging together with hidden fixings will complete the look and ensure a high profile finish.



millboard



#### **ENHANCED GRAIN**

Hand-moulded from natural timbers each of the 8 shades showcases the grain beautifully.









**Burnt Cedar** 

Limed Oak

Smoked Oak

**Brushed Basalt** 









Antique Oak

Coppered Oak

Golden Oak

Jarra




#### **BULLNOSE BOARDS**

The 150mm board has a bullnose profile to one edge, giving a stylish finish without the need for separate edging.


# SmartBoard Decking












Smooth or ribbed look provides design flexibility.





- Eco-friendly 90% recycled reversible decking
- Simple to fit using special SmartBoard composite decking screws
- Choice of 3 contemporary colours
- Low maintenance
- Won't split or rot
- Smooth or ribbed look
- Low risk of slip surfaces



### **Fixings**



The Fountain Store stocks a comprehensive range of hardware from the everyday items to that specialist hinge or catch not available from many other suppliers.





#### **MASONRY SCREWS**



 100 x 7.5mm
 80098

 120 x 7.5mm
 80099

 150 x 7.5mm
 80100

 T30 bit
 80111

#### **SUPER DRIVE SCREWS**



High Performance multi use screws. A range of sizes available.

#### **PRO MATE SCREWS**



87 x 8mm - Box 50 80125 135 x 8mm - Box 50 80127 87 x 8mm - Single 81015 135 x 8mm - Single 81016

#### **MASONRY BOLTS**



 M8 x 75mm
 87051

 M8 x 100mm
 87052

 M8 x 150mm
 87053

 M10 x 100mm
 87054

 M10 x 150mm
 87058

#### **COACH BOLT**



M10 x 100mm 84359 M8 x 100mm 84361 M10 x 200mm 84363

#### **VBU PRO SCREWS**



4 x 45 - Box 200 86098 4 x 60 - Box 200 86099 4 x 70 - Box 200 86100 5 x 30 - Box 500 86101 5 x 40 - Box 200 86102 6 x 50 - Box 200 86172 6 x 60 - Box 200 86173 6 x 90 - Box 100 86175

#### **CARPENTER MATE SCREWS**



90 x 8mm - Box 100 80043 140 x 8mm - Box 100 80046 190 x 8mm - Box 100 80048 240 x 8mm - Box 100 80050 90 x 8mm - Single 81017 140 x 8mm - Single 81018 240 x 8mm - Single 80129

#### **GALVANISED NAILS**

	500g	2.5kg	5kg
40mm (1 1/2")	88632	88616	80054
50mm (2")	88633	88617	88610
65mm (2 1/2")	88634	88618	88611
75mm (3")	88636	88619	88612
100mm (4")	88639	88621	88613
125mm (5")	88640	88622	88614
150mm (6")	88641	88623	88615

#### STAINLESS STEEL SCREWS

Recessed countersunk single thread screw, manufactured from A2 (Grade 304) stainless steel. High corrosion resistance allows for outdoor use. Ideal for use with power tools. Selection of sizes available from Fountain Store.



#### BLACKFRIAR ANTI-SLIP DECK COATING

Provides a slip-resistant surface in wet conditions.

2.5ltr

84490



#### LIBERON DECKING OIL

Ideal for feeding, protecting and enhancing the natural beauty of most types of timber decking.

2.5ltr **84489** 5ltr **84496** 



#### **END GRAIN COATING**

Cut, notched or drilled ends must be treated with end wood grain preservative.

Wolmanit C&T 2.5l 87035



#### LIBERON EXTREME WOODSTAIN

A highly durable woodstain, with added UV protection to protect exterior wood against severe weathering.

 Medium Oak-2.5ltr
 84694

 Spanish Cedar-2.5ltr
 84695

 Poplar-2.5ltr
 84696

 Honey Pine-2.5ltr
 86534

 Teak-2.5ltr
 86535





#### **BARRETINE WOOD TREATMENT**

Ideal protective wood treatment for outdoor timber structures. Excellent water repellent with great UV resistance.

 Dark Brown - 5ltr
 80269

 Light Brown - 5ltr
 80270

 Holly Green - 5ltr
 80271

 Golden Brown - 5ltr
 80272

 Black - 5ltr
 80273

 Clear - 5ltr
 80274



#### TREATEX EXTERIOR OILS

**Decorative and** 

Treatex oils are designed not only to protect, but to enhance the natural finish of the timber.

Sheer - 1ltr	80152	Buckskin - 1ltr	80238
Sheer - 2.5ltr	80235	Dun - 1ltr	80240
Champagne - 1ltr	80236	Bangkirai Oil - 2.5ltr	80184
Spainish Chestnut - 1ltr	80237	Cedar Oil - 2.5ltr	80190






## TREATEX CLASSIC COLOUR COLLECTION

Treatex Classic Colour collection is an ideal finish for fences, sheds, cladding and other exterior and interior timber. Available in a range of colours from the Fountain Store. Many more shades available.



## Gate Hinges, Fastenings and Fittings



#### STAINLESS STEEL

For distinguished look and long service life ask for stainless steel fixing packs. Available in two sizes.





ivieaium	84398
Large	80027
BLACK	
Medium	87088
Large	87087

## · A

**HUNTING CATCH** 

Hunting Catch

84077

#### **EASY CLOSE AUTO CATCH**



Easy Close Auto Catch

84328

#### **SUFFOLK LATCH**



Suffolk Latch 84388
BLACK

Suffolk Latch Black 87089
Ornamental Suffolk Latch 84591

## BRENTON PAD BOLT (LOCKABLE)



100 x 12mm (4" x 1/2") 84509 150 x 12mm (6" x 1/2") 84510 150 x 16mm (6" x 5/8") 80030 200 x 16mm (8" x 5/8") 84507 100mm Oval 84394

#### **BRENTON PAD BOLT BLACK**



150 x 12mm (6" x 1/2") **87006** 200 x 12mm (8" x 1/2") **87007** 

#### **SPRING FASTENER SET**



Spring Fastener Set 80088

#### THROW OVER & DROP BOLT SET

Throwover & Drop Bolt Set 80089

Throwover & Drop Bolt Set 87022



#### HEAVY DUTY AUTO CATCH AND PIN SET

Catch & Pin



#### RING LATCHES



0

Ring Latch Black - 150mm Twisted Ring Latch Ornamental Ring Latch Black 200mm

87009 84392 87011

84140

100mm (4") 150mm (6") 200mm (8")

**TOWER BOLTS** 

84381 80028 80029

46





200mm (8") Pair	80130
250mm (10") Pair	80131
300mm (12") Pair	80022
405mm (16") Pair	80023
100mm (4") Pair	81062
200mm (8") Pair	80026
300mm (12") Pair	80024
405mm (16") Pair	80025
450mm (16") Pair Blk	87001
300mm (12") Pair Blk	87023
400mm (16") Pair Blk	87024

#### **ADJUSTABLE HOOK AND BANDS**



460mm (18") Pair	84091
600mm (24") Pair	84092
350mm (14") Pair	84031
450mm (18") Pair Blk	87004
600mm (24") Pair Blk	87005

#### **HOOK AND BAND**



300mm (12") Pair	80036
360mm (14") Pair	80035
400mm (16") Pair	80034
450mm (18") Pair	80033
500mm (20") Pair	80032
600mm (24") Pair	80031

#### FIELD AND COUNTRY STYLE GATE FIXINGS SETS

85503

80080







460mm 81053 600mm 81052 300mm 80109

# Good to know!

 Many fittings are also available in black, please ask for details

#### **ADJUSTABLE SETS**



600mm 85504 460mm 80081



460mm 600mm

81055 81054

## **Gate Hinges, Fastenings** and Fittings



#### **HOOK ON PLATE**



Hook on plate Adjustable hook on plate

80087 84586

#### LONG THROW KEY LOCK

70mm Single 86627 50mm Double 86624 70mm Double 86625 50mm Single 86626





### **Fountain Timber Products**

Brockley Combe, Backwell, Bristol BS48 3DF

01934 862710

helpdesk@fountaintimber.co.uk www.fountaintimber.co.uk

## OPEN 6 DAYS A WEEK

